EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	521	(controller bsc) near30 pag\$3 near30 location	USPAT	OR	ON	2007/05/02 10:33
L2	280	(controller bsc) near30 pag\$3 near30 (position location) near30 (((dormant torpid asleep quiescent idle inoperat\$5 in-operat\$5 inactiv\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle sleep slept awak\$3 operat\$5 wak\$3 ((batter\$5 power) adj3 (sav\$5 conserv\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 10:34
L3	12	((base adj station adj controller) bsc rnc) near30 pag\$3 near30 (position location) near30 (((dormant torpid asleep quiescent idle inoperat\$5 in-operat\$5 inactiv\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle sleep slept awak\$3 operat\$5 wak\$3 ((batter\$5 power) adj3 (sav\$5 conserv\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR '	ON	2007/05/02 10:37
L4	19	((base adj station adj controller) bsc rnc) near30 (signal\$3) near30 (position location) near30 (((dormant torpid asleep quiescent idle inoperat\$5 in-operat\$5 inactiv\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle sleep slept awak\$3 operat\$5 wak\$3 ((batter\$5 power) adj3 (sav\$5 conserv\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/05/02 10:46
L5	25	((base adj station adj controller) bsc rnc) near30 (transmit\$5 sent send45 pass\$3 deliver\$4) near30 (position location) near30 (((dormant torpid asleep quiescent idle inoperat\$5 in-operat\$5 inactiv\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle sleep slept awak\$3 operat\$5 wak\$3 ((batter\$5 power) adj3 (sav\$5 conserv\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 10:53

EAST Search History

			_			
L6	25	((base adj station adj controller) bsc rnc) near30 (transmit\$5 sent send45 pass\$3 deliver\$4) near30 (position location) near30 ((((wait\$3 adj2 call) dormant torpid asleep quiescent idle inoperat\$5 in-operat\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle sleep slept awak\$3 operat\$5 wak\$3 ((batter\$5 power) adj3 (sav\$5 conserv\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 10:56
L7	25	((base adj station adj controller) bsc rnc) near30 (transmit\$5 sent send45 pass\$3 deliver\$4) near30 (position location) near30 (((dormant torpid asleep quiescent idle inoperat\$5 in-operat\$5 inactiv\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle sleep slept awak\$3 operat\$5 wak\$3 (wait\$3 adj2 call) ((batter\$5 power) adj3 (sav\$5 conserv\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 10:58
L8	67	((base adj station adj controller) bsc rnc) near30 (transmit\$5 sent send45 pass\$3 deliver\$4 pag\$3 message signal\$4) near30 (position location) near30 (((dormant torpid asleep quiescent idle inoperat\$5 in-operat\$5 in-operat\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle sleep slept awak\$3 operat\$5 wak\$3 (wait\$3 adj2 call) ((batter\$5 power) adj3 (sav\$5 conserv\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:15
L9	26	((base adj station adj controller) bsc rnc) near30 (transmit\$5 sent send45 pass\$3 deliver\$4 pag\$3 message signal\$4) near30 (position location) near30 (((dormant torpid asleep quiescent idle inoperat\$5 in-operat\$5 in-activ\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle sleep slept awak\$3 operate\$5 wak\$3 (wait\$3 adj2 call) ((batter\$5 power) adj3 (sav\$5 conserv\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:05

EAST Search History

L10	16	((base adj station adj controller) bsc rnc) near30 (transmit\$5 sent send45 pass\$3 deliver\$4 pag\$3	US-PGPUB; USPAT; EPO; JPO;	OR	ON	2007/05/02 11:05
		message signal\$4) near30 (position location) near30 (((dormant torpid asleep quiescent idle inoperat\$5 in-operat\$5 in-operat\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle sleep slept awak\$3 wak\$3 (wait\$3 adj2 call) ((batter\$5 power) adj3 (sav\$5 conserv\$6)))	DERWENT; IBM_TDB			